

•



HVAC INDUSTRY SOLUTIONS

i build (

HVAC INDUSTRY SOLUTIONS

IPG® offers a complete line of products specifically engineered to meet the most stringent requirements of the HVAC industry. From our dead soft aluminum foil tapes and metallized film tapes to our extensive industrial tapes and films product offering, IPG has your solution! Ask your IPG representative about additional tape products available to help meet your HVAC market needs.

FEATURES & BENEFITS

- Products engineered for a wide range of applications and environments
- UL-listed products to meet building and construction codes
- Water, smoke and mold-resistant products
- Moisture barrier products for use on foil jacketing insulation
- IPG HVAC products can help increase efficiency and meet sustainability goals by minimizing air distribution loss



OUF ECLIPSE E1800 08 27 13 10 15-

888.898.7834 | itape.com



UL181 ALUMINUM 2 MIL UL 181A-P/B-FX LISTED FOIL TAPE

RESOURCE NUMBER	IMPERIAL SIZE	METRIC SIZE	ROLLS/PACK	ROLLS/CASE
84119	2.5in × 60yds	63.5mm × 54.8m	1	16
84127	3in × 60yds	76.2mm × 54.8m	1	16

Designed to be used on duct board and flexible duct systems where UL181A-P and UL181B-FX standards are required

ÍU

Cold weather adhesive that works great in extreme temperatures

Printed in red for easy identification



LISTED



	UL181B-FX LISTED & CAN/ULC-S102 LISTED
--	--

RESOURCE NUMBER	IMPERIAL SIZE	METRIC SIZE	ROLLS/PACK	ROLLS/CASE	COLOR
2020148110	1.88in × 120.29yds	48mm × 110m	1	24	Black
2022148110	1.88in × 120.29yds	48mm × 110m	1	24	Metalized

- BOPP film tape with aggressive acrylic • adhesive designed for seaming, closing and repairing flexible ducts
- Superior flexibility allows conformability to a variety of shapes
- Excellent adhesion in a wide range of temperatures, up to 210°F
- UL markings printed on the tape for easy identification
- Hand tears, no dispenser needed
- UV resistant
- Mold resistant
- Longer lasting than most duct tapes



ALF175L COLD WEATHER ALUMINUM FOIL TAPE

RESOURCE NUMBER	IMPERIAL SIZE	METRIC SIZE	ROLLS/PACK	ROLLS/CASE
84304	2in × 50yds	50.8mm × 45.7m	1	24
84305	2.83in x 50yds	72mm x 45.7m	1	16

- Cold weather acrylic tape for seaming, patching, sealing in Industrial and HVAC applications
- Vapor barrier integrity, flame retardance, high shear • adhesion, UV resistance, and superior bonding in subzero or elevated temperatures

Tested in accordance with UL-723 (ASTM E-84)



ALF150L **GENERAL PURPOSE ALUMINUM FOIL TAPE**

RESOURCE NUMBER IMPERIAL SIZE METRIC SIZE ROLLS/PACK ROLLS/CASE 48mm x 45.7m ALF150L025 1.88in x 50yds 1

- 77113 3.0in x 50yds 72mm x 45.7m 5677 4.0in x 50yds 96mm x 45.7m Dead soft aluminum foil tape for seaming and
 - sealing fiberglass duct board and duct wrap
- Recommended minimum application temperature 40°F (4°C)

1

1

- High tack rubber based adhesive with reflective aluminum backing
- Tested in accordance with UL-723 (ASTM E-84)



24

16

12

٠





FSK JACKETIN		OIL-SCRIM INSULA	ATION TAPE	
RESOURCE NUMBER	IMPERIAL SIZE	METRIC SIZE	ROLLS/PACK	ROLLS/CASE
99712	2.95in x 50yds	75mm × 45.72m	1	16
Engineered to seam/s	eal FSK duct board ar	d • Resista	nt to mold and mildew	, flexible to resist

٠ Engineer insulation to enhance appearance and maintain vapor barrier integrity Aggressive acrylic pressure-sensitive adhesive

provides long-lasting adhesion to clean/dry surfaces

mildew, flexible to resist cracking and lifting

LISTED

- Release coated kraft liner
 - Tested in accordance with UL-723 (ASTM E-84)



ALF MASTIC SPECIALTY BUTYL MASTIC FOIL TAPE

RESOURCE NUMBER	IMPERIAL SIZE	METRIC SIZE	ROLLS/PACK	ROLLS/CASE
99631	1.88in × 100ft	48mm × 30.4m	1	12
99724	2.88in × 100ft	73mm × 30.4m	1	12

- High tack, low VOC 17 mil aluminum 'mastic' foil tape coated with a pressure-sensitive, modified butyl rubber adhesive
- Provides an instant waterproof grip to a variety of surfaces and providing full bond within 24 hours
- the effects of weather, UV, temperature, mold and mildew

Excellent flexibility, no cracking, highly resistant to

- LEED points contributor
- Easy release liner
- Tested in accordance with UL-723 (ASTM E-84)



FAN & VENT TAPE

Full bond within 24 hours

RESOURCE NUMBER	IMPERIAL SIZE	METRIC SIZE	ROLLS/PACK	ROLLS/CASE
99986	2.5in x 10yd	63.5mm x 9.1m	1	12
 Heat resistant Seals to prevent air leakage 		ressive adhesive forms to UL specification	ns	(Jr)

Blocks odors and moisture

DUCT/CLOTH TAPES



AC20 JOBSITE DUCTAPE® 9 MIL DUCT TAPE

RESOURCE NUMBER	IMPERIAL SIZE	METRIC SIZE	ROLLS/PACK	ROLLS/CASE	COLOR
91410	1.88in x 60yd	48mm x 54.8m	1	24	Silver
91407	1.88in x 60yd	48mm x 54.8m	1	24	Black

Polyethylene (PE) coated cloth tape designed to meet the needs of the general contractor

Ideal for indoor/outdoor repairs, and HVAC duct sealing

Low VOC prevents out-gassing during use

Stands up to all weather conditions





RESOURCE NUMBER	IMPERIAL SIZE	METRIC SIZE	ROLLS/PACK	ROLLS/CASE
82764	1.88in × 60yds	48mm × 54.8m	1	24
 Metalized PE film on h 	igh tensile cloth with an	 Meets 	HUD, BOCA and LA (County codes

aggressive pressure-sensitive natural rubber adhesive Designed for applications where a high quality grade of cloth tape is required and the appearance of

metalized backing is preferred

•

• Tested in accordance with UL 723 (ASTM E-84)

1666 DUGTADA

AC36 MEDIUM 11 MIL DUCT TAPE (UL-723 RATED)

RESOURCE NUMBER	IMPERIAL SIZE	METRIC SIZE	ROLLS/PACK	ROLLS/CASE	COLOR
4137	1.88in × 60yds	48mm × 54.8m	1	24	Silver
4382	1.88in × 60yds	48mm × 54.8m	1	24	Black
4335	1.88in × 60yds	48mm × 54.8m	1	24	Red

PE coated cloth tape with an aggressive system • designed to provide exceptional shear strength for demanding applications such as HVAC, abatement, weatherproofing, extermination, flex duct connections and all general maintenance needs

• The general contractor's duct tape of choice

Meets HUD, BOCA and LA County codes

Tested in accordance with UL 723 (ASTM E-84)



AC45 **MEDIUM 12 MIL DUCT TAPE**

	RESOURCE NUMBER	IMPERIAL SIZE	METRIC SIZE	ROLLS/PACK	ROLLS/CASE	COLOR	
	4138	1.88in × 60yds	48mm × 54.8m	1	24	Silver	
 PE coated cloth film with an aggressive adhesive Wide temperature range Recommended for use where high adhesion and conformability are required 							

• Wide temperature range

IRON GRIP[®]

Meets HUD and BOCA Codes and LA County codes; Tested in accordance with UL 723 (ASTM E-84)



AC50 PREMIUM 14 MIL DUCT TAPE

RESOURCE NUMBER	IMPERIAL SIZE	METRIC SIZE	ROLLS/PACK	ROLLS/CASE	COLOR
84139	1.88in × 60yds	48mm × 54.8m	1	24	Silver
 High tensile and tear s Maximum performance ventilation systems 	5		s HUD, BOCA, cordance with U	and LA County o JL 723 (ASTM E-	codes; Tested 84)



PREMIUM 17 MIL DUCT TAPE

RESOURCE NUMBER	IMPERIAL SIZE	METRIC SIZE	ROLLS/PACK	ROLLS/CASE	COLOR
86944	1.88in × 35yds	48mm × 32m	1	12	Black

Professional quality, ultra-tough black duct tape for temporary patching of utility holes, taping of ductwork, and a variety of heavy-duty demanding applications requiring high strength

 All-weather, easy unwind, high adhesion; Tested in accordance with UL 723 (ASTM E-84)

SPECIALTY TAPES & PRODUCTS



AC50 SPRAY ADHESIVE

RESOURCE NUMBER	NET WEIGHT	UNITS/PACK	UNITS/CASE
82766	12 fluid oz. (.50 liters)	1	12

METRIC SIZE

48mm × 54.8m

 Designed to assist bonding to several surfaces, which include wood, concrete and sheet metal Fast tack pressure sensitive adhesive; Contains no methyl chloride or CFCs

PREMIUM BOPP HVAC TAPE

IMPERIAL SIZE

1.88in × 60yds

• 41 PSI shear strength

Not intended for use in California

ROLLS/PACK


1

Designed for splicing and repairing insulation

ROLLS/CASE

36








GAFFERS TAPE

87789

AC778

	RESOURCE NUMBER	IMPERIAL SIZE	METRIC SIZE	ROLLS/CASE	COLOR
	5638	1.87in x 54.7yds	48mm x 50m	24	Black
 Cloth tape for bundling and holding wires and cables in place 			rable and conforms to in dhesive for clean remova	5	

Non-reflective matte finish; weather and



HAND WRAP STRETCH FILM

RESOURCE NUMBER	IMPERIAL SIZE	METRIC SIZE	GAUGE	ROLLS/PACK	ROLLS/CASE
HG2032000-RT	20in × 1000ft	508mm × 304.8m	80	1	4
SF1515MA	15in × 1500ft	381mm × 457m	80	1	4
SF1815MA	18in × 1500ft	457mm × 457m	80	1	4

Great for wrapping items in groupings

Sticks only to itself



PRO•MASK BLUE[®] 14-DAY PAINTER'S TAPE

RESOURCE NUMBER	IMPERIAL SIZE	METRIC SIZE	ROLLS/PACK	ROLLS/CASE
99557	1.88in × 60yds	48mm × 54.8m	1	16

Provides 14-day UV resistance

• Removes cleanly from painted walls, trim, glass and metal



REINFORCED CONSTRUCTION PAPER

RESOURCE NUMBER	IMPERIAL SIZE	METRIC SIZE	UNITS/CASE
K73213	1270mm x 91.4m	72in x 300ft	42
K73214	914.4mm x 91.4m	36in x 300ft	59
K73215	1219.2mm x 91.4m	48in x 300ft	59

Three-way fiberglass reinforced natural kraft paper

• Non-bleeding, non-staining; skid and slip resistant; water and oil resistant; withstands medium to heavy foot traffic

SPECIALTY TAPES & PRODUCTS



RG300

REINFORCED STRAPPING TAPE

RESOURCE NUMBER	IMPERIAL SIZE	METRIC SIZE	ROLLS/PACK	ROLLS/CASE
91404	.94in X 60 yds	24mm x 54.8m	1	32

Reinforced for added strength

Ideal for unitizing and bundling

SHEATHING TAPE

RESOURCE NUMBER	IMPERIAL SIZE	METRIC SIZE	ROLLS/PACK	ROLLS/CASE	COLOR
85518	1.88in × 54.6yds	48mm × 50m	1	24	White
85561	1.88in × 54.6yds	48mm × 50m	1	24	Red

 Designed for permanent seaming and sealing of joints in foam insulation & housewrap

- Secures lap edges on house wraps and other vapor barriers, repairs rips and tears in roll and batt insulation, construction films and membranes
- Available in white and red



THREADSEAL TAPE

RESOURCE NUMBER	IMPERIAL SIZE	METRIC SIZE	ROLLS/PACK	ROLLS/CASE
11 1/2X260	0.5in × 260in	12.7mm × 6.6m	200/6	1200
TS05520	0.5in × 520in	12.7mm × 13.2m	100/2	200

 Made of chemically inert material; withstands alkalies, acids, oils and solvents

Use on iron, stainless steel, copper, brass, plastic, glass or rubber pipes

Has a temperature resistance of -400°F to 700°F



VINYL ELECTRICAL TAPE

7 MIL MEDIUM GRADE

RESOURCE NUMBER	IMPERIAL SIZE	METRIC SIZE	ROLLS/PACK	ROLLS/CASE
85835	0.75in × 66ft	19mm × 20.1m	20/6	120

 Black vinyl electrical insulating tape consisting of a soft "plasticized" stabilized PVC film coated with a non-corrosive rubber based adhesive for general maintenance and repair Good dielectric strength; Lead free; Temperature range 0°C to 80°C





8100 **CARTON SEALING TAPE**

RESOURCE NUMBER	IMPERIAL SIZE	METRIC SIZE	ROLLS/PACK	ROLLS/CASE
F4150	1.88in x 109.36yds	48mm x 100m	9	36

 Hot melt BOPP carton sealing tape for medium to heavy weight usage, manual or automatic box sealing, package repair, bundling, and packages exposed to normal shipping hazards and stress.



6100 **CARTON SEALING TAPE**

RESOURCE NUMBER	IMPERIAL SIZE	METRIC SIZE	ROLLS/PACK	ROLLS/CASE
F4020-05	1.88in x 109.36yds	48mm x 100m	9	36
91390	1.88in x 54.6 yds	48mm x 50m		16

 Hot melt BOPP carton sealing tape for light to medium weight usage, manual or automatic box sealing, package repair, bundling, and packages exposed to normal shipping hazards and stress.

ertape	N. 1727 730P
AL TAPE	S UN SPORT
	13 0.

CORPORATE PROFILE

Headquartered in Sarasota, Florida, IPG is a global provider of packaging and protective solutions across a diversified set of geographies and end-markets. The Company develops, manufactures, and sells a variety of solutions including paper and film-based pressure-sensitive and water-activated tapes, stretch and shrink films, protective packaging, woven and non-woven products and packaging machinery.





888.898.7834 | itape.com